

AL2303

716/743

e 0,2l

Production number /  
Best before: see lid

9062300114550

**Important information:**

Ready-to-drink rehydration food made of natural ingredients with a nutrient content that is especially formulated to regulate disturbances of the water and electrolyte balance due to the enrichment of mineral salts.

Use: complementary balanced diet; from 4 months under medical supervision.

Unless prescribed otherwise by the physician, in the first 3 to 4 hours exclusively ORS 200. In the case of minimal diarrhoea: 20 to 30 ml/kg body weight (BW) (weight loss of up to 3% of the BW). In the case of mild to moderate diarrhoea: 30 to 80 ml/kg BW (weight loss of 3 to 8% of the BW).

After successful rehydration, realimentation is initiated at once (additional information can be found on the reverse of the label). **Further liquid loss caused by vomiting and/or diarrhoea is compensated by additional 50 to 100 ml ORS 200 after every watery stool/episode of vomiting (ideally by the spoonful and at short intervals, e.g. every 5 to 10 minutes).**

Contraindication: Acute and chronic kidney failure, metabolic alkalosis, uncontrollable vomiting, clouded consciousness/shock, carbohydrate resorption disorders, bowel occlusion. Not suitable in case of allergy or intolerance to any of the ingredients contained in the product.

FROM  
**4**  
MONTHS

HiPP

**ORS 200****Apple****Oral Rehydration Solution**

- helps in case of diarrhoea • ready to drink • gluten-free
- no added lactose • no added milk protein

Ready-to-drink apple Oral Rehydration Solution.

Dietary food for special medical purposes; for the dietetic treatment of infant dyspepsia (diarrhoeal disorders in infants)

**Ingredients:** water 83%, apple juice 16%, maltodextrin, iodized table salt, potassium citrate, acidity regulator citric acid.

Composition	per 100 ml	per bottle
Energy kJ/kcal	53/12	106/25
Fat	0.06 g	0.12 g
(of which saturates)	(0.0 g)	(0.0 g)
Carbohydrate	3.0 g	6.0 g
(of which sugars)	(1.6 g)	(3.2 g)
Protein	0.02 g	0.04 g
Salt	0.35 g	0.7 g
Sodium	0.14 g	0.28 g
Potassium	80 mg	160 mg

**Osmolarity: 240 mOsmol/l**

**Store at room temperature. Shake before use. Consume cooled. Cover leftovers, store in the fridge and use up within 24 hours.**

Product may show sediment which is normal and dissolves when shaken. This product left our house in perfect condition – please make sure the jar is undamaged before using it. If the centre of the lid can be pressed in, please do not use.

HIPP GmbH & Co. Export KG, A 4810 Gmunden/Austria, produced in Hungary

Please pay attention to the inside of the label.

HiPP ORS 200  
Ready-to-drink  
Apple  
Oral Rehydration Solution  
Art. no. AL2303

HiPP ORS 200, ready-to-drink apple dietary food for oral supply with water and minerals. The therapy depends on the severity of diarrhoea. To be used only in the context of a medical prescription.

### Realimentation after Rehydration

#### Rehydration:

**In the case of minimal to moderate diarrhoea (moderate water loss):** 20 to 30 ml ORS 200 per kg body weight (BW) for minimal diarrhoea and up to 30 to 80 ml per kg BW for mild to moderate diarrhoea during the first 3 to 4 hours (rehydration).

**In the case of severe diarrhoea:** It is absolutely necessary to consult your physician. ORS 200 may also be used to complement intravenous fluid replacement.

#### Realimentation:

Breastfed infants should continue to be breastfed ad lib from the beginning in parallel to the administration of ORS 200. Between breastfeeds, ORS 200 is given in small portions.

Bottle-fed infants in the 1st half year of life receive their accustomed formula after the rehydration phase. Infants that are already on weaning foods receive their usual formula and weaning food in full quantity and concentration after the rehydration phase. In severe cases realimentation may also be provided in increments.

Older children initially receive a light diet and tea drinks. Juices with a high sugar content (saccharose, fructose, sorbitol) should be avoided. The diet should return to a normal age-adequate diet after two to not more than five days.

## Диетична храна за специални медицински цели на основата на ябълки за ПЕРОРАЛНА РЕХИДРАТАЦИЯ ORS 200

Арт. №2303

От 4-ия месец

- при диария • готово за употреба
- без добавен млечен протеин • без добавена лактоза • без глютен

За диетотерапия при кърмаческа диспепсия (диария).

### Важна забележка:

- Да се използва само под медицинско наблюдение!
- Не е подходящо за употреба като единствен хранителен източник!
- Предназначено за деца на възраст от 4 месеца!

**Съставки:** вода 83%, сок от ябълки 16%, малтодекстрин, йодирана сол, калиев цитрат, регулатор на киселинност: лимонена киселина.

Хранителна стойност	на 100 ml	на бутилка
Енергийна стойност	53kJ/12kcal	106kJ/25kcal
Мазнини,	0,06 g	0,12 g
от които: наситени мастни киселини	0,0 g	0,0 g
Въглехидрати,	3,0 g	6,0 g
от които: захари	1,6 g	3,2 g
Белтъци	0,02 g	0,04 g
Сол	0,35 g	0,7 g
Натрий	0,14 g	0,28 g
Калий	80 mg	160 mg

Осмоларитет: 240 mosmol/l

Готова за консумация рехидратираща напитка, произведена от естествени съставки, със специално формулиран хранителен състав за регулация на нарушенията на водно-електролитния баланс, благодарение на обогатяване с минерални соли.

**Указания за употреба:** В случай, че лекуващия лекар не е препоръчал друго, през първите 3 до 4 часа да се приема изключително ORS200. В случаи на лека диария: 20 до 30 ml/kg телесно тегло (ТТ) (загуба на тегло до 3% ТТ). При лека до умерена диария: около 30 до 80 ml/kg ТТ (загуба на тегло до 3-8% ТТ).

**При тежка диария:** Абсолютно необходимо е да се консултирате с Вашия лекар.

След успешна рехидратация незабавно започнете отново да храните както следва:

**Кърмени деца:** кърмят се паралелно с приемането на ORS 200, между кърменията ORS 200 се дава на малки индивидуални порции.

**Кърмачета на изкуствено хранене** до половин година: продължават храненето си с обичайната си храна за кърмачета след рехидратационната фаза.

**Кърмачета, вече хранени с твърда храна:** продължават храненето си с обичайната си храна за кърмачета и твърда храна в обичайно количество и концентрация след рехидратационната фаза. В тежки случаи храната може да се дава в малки, постепенно увеличаващи се количества.

**По-големи деца:** първоначално се хранят с леки храни и чаени напитки. Сокове с високо съдържание на захар (захароза, фруктоза, сорбитол) трябва да се избягват. Диетата трябва да се върне към нормалната подходяща за възрастта след два до не повече от пет дни.

**Всички допълнителни загуби на течности, в резултат на повръщане и/или диария трябва да бъдат компенсирани допълнително с 50-100 ml ORS 200 след всяко течно изхождане / повръщане (препоръчително по лъжичка на кратки интервали, напр. на всеки 5-10 мин.)**

**Противопоказания:** Остра или хронична бъбречна недостатъчност, метаболитна алкалоза, неконтролируемо повръщане, замъглено съзнание/шок, нарушения в резорбцията на въглехидрати , чревна непроходимост. Да не се употребява в случаи на алергия или непоносимост към някоя от съставките, съдържащи се в продукта.

**Условия на съхранение:** При стайна температура. Разклатете добре преди употреба. **Консумирайте охладено. След употреба затворете и съхранявайте в хладилник до 24 часа.** Този продукт е напуснал нашия склад в перфектно състояние – моля уверете се, че стъклото не е нарушено преди употреба. Ако капачката хлътва при натиск, моля не употребявайте. Сигурно вакуумно затваряне, капачката изшраква при отваряне за пръв път.

Партида/Най-добър до: Виж ръба на капачката.

Нетно количество: 200 ml

Производител: ХИПП ГмбХ & Ко. Експорт КГ, А 4810 Гмунден, Австрия, произведено в Унгария.  
Дистрибутор: Авенди ООД, бул. Искърско шосе 7, 1528 София, т/ф: 02 973 1181

